

TENDER FORM FOR PURCHASE OF BARBED WIRE FENCING FOR BOUNDARY

REF: *BISL/UDR/1264/2022-23*

Date: 15/11/2022

To

The Chief Programme Executive
BAIF Institute for Sustainable Livelihoods and
Development
BAIF Bhawan, G-Block, Sector-14, Hiran Magri
Udaipur
Rajasthan

Sub: Invitation for Rate for Purchase and Supply of Barbed Wire Fencing for Boundary.

Dear Sir,

With reference to your advertisement in the dated -----, our Firm/Company wants to quote the rate for the above mentioned item as per your terms & conditions mentioned below:

1. Name of the Party:

2. Address:

3. Telephone No.

4. PAN No.

5. GST/Sales Tax Regn. No.

6. Earnest Money of Rs. 42,000/- (Fortytwo thousand only) by Demand Draft/Cheque in favour of BAIF INSTITUTE FOR SUSTAINABLE LIVELIHOODS AND DEVELOPMENT payable at State Bank of India, Paras Chauraha, Sector-11, Udaipur.



A handwritten signature in black ink.

Terms & Conditions:

**PART A:
TECHNICAL BID**

1. The Barbed Wire Fencing for Boundary for field fencing must have the following composition and standard:
- 2.

Sr. No.	Item	Specifications	Tentative Quantity Required (Kg.) &FOR
1.	<i>Barbed Wire Fencing for Boundary.</i>	<i>As per Enclosed Sheet</i>	<i>As per Enclosed Sheet FOR Debari, Udaipur, Rajasthan.</i>

3. Updated GST Certificate. (Enclosed Document No.)
4. Updated Income Tax Return Certificate (Enclosed Document No.)
5. Copy of valid Manufacturing / Dealership License of the product (Enclosed Document No.)
6. Quantity ready to supply/year in Metric tons
7. The authority reserves the right to terminate the contract of any agency in case of change in the Organization procedures/ unsatisfactory services.

Eligibility Criteria:

1. Security against Tender by Demand Draft/Cheque of Rs. 42,000/- (Fortytwo thousand only) should be attached with the Technical BID in favour of **BAIF INSTITUTE FOR SUSTAINABLE LIVELIHOODS AND DEVELOPMENT** payable at State Bank of India, Paras Chauraha, Sector-11, Udaipur.
2. Bidder must submit their sample of wire along with the tender.
3. In case of any shortfall in submission of the above documents, the BID will be treated as disallowed and the Earnest money will be returned without interest.
4. The BISLD Management reserves the right to reject the tender/part of the tender without giving any reason. Our Organization/Firm agrees with the above terms & condition for technical BID.
5. Rates will be valid up to 31st March, 2023.

Thanking you

Yours faithfully

(Authorized Signatory)

L.R. Singh

Chief Programme Executive



PART B: FINANCIAL BID

1. Separate sealed envelope should contain the Financial BID.
2. The tender must indicate the offered price clearly (Rs./Kg.) in words and in figures on the letterhead of the Organization/Firm. The Rate is to be quoted up to 31st March, 2023 (**Enclosed Document No.....**). There will be no revision in the Price during the validity of the tender period.
3. The rate (offer price) should be quoted as per the specifications mentioned. Price should be quoted without tax and with tax separately.
4. As the Delivered material will be taken to Debari, Udaipur district of Rajasthan, the Rate of Transport (FOR quantity) should also be mentioned separately. (**Enclosed Document No.....**)
5. The rate contract will be valid up to 31st March, 2023 from the date of issue of Rate approval. No escalation in price will be entertained till the validity of the tender for supply of material.
6. In case the party to whom the Purchase Order / Work Order is issued, fails to complete the order within the stipulated time mentioned in the Purchase Order / Work Order, BISLD will be free to procure the material from alternative source in the open market. The security amount will be forfeited and the organization will initiate the black listing process for this party.
7. The BISLD Management reserves the right to reject any tender or part of the tender without showing any reason.

Our organization / Firm agrees with the above terms & conditions for financial BID.

Thanking You

Yours faithfully

(Authorized Signatory)


L.R. Singh

Chief Programme Executive



ESTIMATE FOR BARBED WIRE FENCING FOR BOUNDARY OF C.O.E. ACTIVITIES CAMPUS AT DEBARI UNDER SAMADHAN PROJECT

NO.	DESCRIPTION OF WORK	QTY	UNIT	Amount
(A)	EXCAVATION, FILLING AND SOILING			
A-1	EXCAVATION FOR FOUNDATION			
	In all types of soil, including refilling around foundations and in plinth with selected excavated earth in 200 mm thick layer, watering, consolidating etc. and disposing off surplus earth by spreading at site as directed.			
a)	In earth, all types of soil and soft murrum			
	i) upto 1500 mm depth			
	for columns	150	M3	
	excavated soil backfilling	100	M3	
(B)	CEMENT CONCRETE (PLAIN & REINFORCED)			
B-3	Providing and laying PLAIN CEMENT CONCRETE M-200 (by using 53 grade cement) in bed-blocks, coping and elsewhere, using trap metal max. 40 mm size, including formwork, if any, consolidating, finishing and curing.			
	for columns	15	m3	
B-4	Providing and laying PLAIN CEMENT CONCRETE M-200 (by using 53 grade cement) machine mixed, vibrated and finished in line and level including formwork, centering, curing as directed (excluding steel reinforcement).			
a)	IN FOOTINGS AND COLUMNS			
	using 25 mm max. size and downgraded trap metal.			
	P1 pedestal	54.00	M3	
	Copping beam floor at NGL	24.15	M3	
	RCC raft for brick wall	4.80	M3	
	RCC column up to wall +3 m	10.94	M3	
B-6	Providing, cutting, bending, hooking, binding, placing in position STEEL REINFORCEMENT for all R.C.C. work at all levels, with chairs, supports etc. to provide proper cover complete. (binding wire not to be weighed for payment).			
a)	Tor Steel Bars as per Structural details.			
	For raft steel 10 mm column steel 12 mm and rings 8 mm dia	1800	kg	
B-7	P/doing shuttering work for columns, beams, etc			
	Copping beam shuttering	105.00	SQM	
	RCC columns shuttering	350.00	SQM	
	RCC raft for brick wall	40.00	SQM	
	RCC columns shuttering +3.5 m	126.00	SQM	
(C)	MASONRY WORK (STONE AND BRICK)			
C-2	Providing and constructing BURNT BRICK MASONRY WALLS in plinth and superstructure at all levels, in C.M. (1:5) in II Class bricks, including raking of joints on exposed surfaces, curing and scaffolding.			
	350 mm thick wall	16.80	M3	
	230 mm thick wall	11.96	M3	
(D)	PLASTERING AND FINISHING			
D-1	Providing and applying NEERU FINISHED SMOOTH CEMENT PLASTER INTERNALLY in (1:4) cm 12 mm to 20 mm thickness, to ceilings perfectly smooth and even, including scaffolding, hacking of concrete surfaces, curing and one coat of lime wash.	140	M2	



D-3	Providing and applying SAND FACED CEMENT PLASTER EXTERNALLY av. 20 mm thick to brick or concrete surfaces in (1:4) C.M. finished with sponges, including hacking of concrete surfaces, scaffolding and curing.	140	M2	
(K)	PAINTING WORKS			
K-3	OIL BOUND PAINT FOR INTERNAL SURFACES			
	Providing and applying to ceilings and walls, 'Tractor ' - Asian Paints or equivalent to one coat of cement primer approved quality surface preparation by using zero sand paper, full puttying in two coats to give very smooth surface and three coats of distemper - approved shade, using special brushes, clean, well-finished without brush marks. (Measurements of actual surface area).	140	M2	
K-7	APEX PAINT FOR EXTERNAL			
	p/applying Apex waterproof exterior emulsion paint to external sand faced plastered or other surfaces Asian or other approved make cleaning and curing with water before first coat total two coats of paint applied by brush full curing after first and second coat till the paint is fully settled with clean even and without brush mark finish (Measurements of actual surface area).	140	M2	
K-8	Providing and fixing G.I. CHAIN-LINK 50 * 50 grid of gauge nailed to m.s. angle framing including 12 mm dia bar at top and bottom to frame and complete chain link by using G.I. angle 75 x 75 x 5 mm thickness			
	G.I. angle 75*75*5 mm vertical supports (Hot Dip galvanized)	4,500	kg	
	G.I. angle 40*40*5 mm for horizontal supports (Hot Dip galvanized)	2,170	kg	
	G.I. flat bar 25 mm*5 mm (Hot Dip galvanized)	465	kg	
	50*50*10 g chain link 3.1 m height	1,100	rmt ft	
	Concertina Coil 450 mm dia with plain wire	1,100	rmt ft	
	Main gate sliding 3*2.4 m with heavy duty poles and rails on both sides	1	No.	
			Total	
	Contingencies 2%			
			Total	
	Add GST 18%			
			Total with GST	

